## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

WAKAHARA et al Atty. Ref.: 2018-852

Serial No. 10/790,779 Group: 2855

Filed: March 3, 2004 Examiner: McCall, Eric

For: THERMOSTAT MALFUNCTION DETECTING SYSTEM FOR ENGINE

**COOLING SYSTEM** 

November 10, 2004

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 Sir:

## **INFORMATION DISCLOSURE STATEMENT**

Attached are Forms PTO-1449 listing the enclosed documents.

The listed documents are partial copies of Service Manuals disclosing DTC P0125 and/or DTC P0128 in regard to malfunction detection.

For the Examiner's information and consideration, e.g., 1997 Service Manual, Corvette, Y-platform teaches an abnormality detection code of DTC P0125 which is provided for a coolant temperature sensor (ECT). Specifically, this code is set when a coolant temperature does not reach a threshold temperature (34°C) within a predetermined period (2 minutes and 20 seconds to 5 minutes) from an engine start-up. This period is determined based on at least the start up coolant temperature and the amount of air flow.

The other Service Manuals teach similar details of abnormality/malfunction detection although directed to different cars or engines. If the Examiner would like copies of the entire respective Service Manuals, please contact the undersigned who will be happy to secure and submit such full copies. Applicant reserves the right to disqualify any or all of the listed documents as prior art with respect to the disclosed and claimed invention.

This Information Disclosure Statement is intended to be in full compliance with the rules, but should the Examiner find any part of its required content to have been omitted, prompt notice to that effect is earnestly solicited, along with additional time under Rule 97(f), to enable Applicant to comply fully.

Consideration of the foregoing and enclosures plus the return of a copy of the herewith Form PTO-1449 with the Examiner's initials in the left column per MPEP 609 are earnestly solicited.

WAKAHARA et al Serial No. 10/790,779

The filing of an information disclosure statement shall not be construed as a representation that a search has been made [37 C.F.R. § 1.97(g)], an admission that the information cited is, or is considered to be, material to patentability or that no other material information exists. Further, the filing of an information disclosure statement shall not be construed as an admission against interest in any manner [Commissioner's Notice of January 9, 1992, 1135 O.G. 12-25 at 25].

Respectfully submitted,

NIXON & VANDERHYE P.C.

Michelle N. Lester

Reg. No. 32,331

MNL:slj

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714 Telephone: (703) 816-4000 Facsimile: (703) 816-4100

## INFORMATION DISCLOSURE **CITATION**

(Use	several	sheets	if necessa	ıry)

Atty. Docket No.	Serial No.	
2010 052	10/790,779	

2018-852

Applicant

WAKAHARA et al Filing Date

TC/A.U.

0 2004		March 3,	2004	285	5			
DEMARKS EXAMINER		IIS	PATENT DOCUMENTS	<u> </u>				
EXAMINER		0.3.	PATENT DOCUMENTS	· · · · · · · · · · · · · · · · · · ·			FILING	DATE
INITIAL	DOCUMENT NUMBER	DATE	NAME		CLASS	SUBCLASS	IF APPR	OPRIAT
		FOREIGN	N PATENT DOCUMENT	·s	<u> </u>	<u> </u>		
		TOTILIAI	TAILIT BOOGINLIT	<del>-</del>			TRANS	LATION
	DOGUNENT	DATE	COUNTRY		CLASS	SUBCLASS	YES	NO
	DOCUMENT	DATE	COUNTRY		CLASS	SUBCLASS	153	T
	OTHER DOCL	IMENTS (includ	ing Author, Title, Date,	Pertinent	pages, e	tc.)	<u> </u>	J
			ss Service Manual; GMP/9				/1996; pp	6E-94
		s Service Manual;	GMP/09LN-3; L/N Platfo	rm; Volume	3; 06/1997	7; pp 6-562, 6	5-563, 6-	994-99
			/Seville Service Information					
	97							
	. 1		/Seville New Product Serv		tion; 1995;	6E-A-121-1	22	
	The state of the s		al; Volume 3; 7/1997; 6-37					
			anual; GMP/97-EK-2; Boo					. 07.00
	1996 Cadillac Fleetwood (Rear Wheel Drive) Service Information; Book 2 Powertrain; D Platform; 4/1996; 6E-A-87-89 1996 Cadillac Fleetwood New Product Service Information; 1995; 6E3-A-86-88							
						d Duigh Dog	al Carria	
	1996 Chevrolet Lumina, Monte Carlo, Pontiac Grand Prix, Oldsmobile Cutlass Supreme and Buick Regal Service							
	Manual; GMP/96-W-2P; Book 2 (Preliminary); W Platform; 06/1995; 6E3-A-84 -85							
	1996 Chevrolet Lumina, Monte Carlo, Pontiac Grand Prix, Oldsmobile Cutlass Supreme and Buick Regal Service							
	Manual; GMP/96-W-2; Book 2; W Platform; 4/1996; 6E-A-872-874  1997 Pontiac Grand Prix Service Manual; Book 2; W Platform; 9/1996; 6E-95-96; 6E-521-522  1997 Buick Century and Regal Service Manual; Book 3; W Platform; 1/1997; 6E-100-101; 6E-570-571  1998 Pontiac Grand Prix Service Manual; GMP/98-WP-3; Volume 3; W Platform; 5/1997; 6-696-697; 6-1276-1277							
-								
							277	
	1998 Pontiac Grand Prix Service Manual; GMP/98-WP-3; Volume 3; W Platform; 5/1997, 0-090-097, 0-1270-1277  1996 Chevrolet Corsica/Beretta Service Manual; GMP/96-L-2P; Book 2 (Preliminary); L Platform; 6/1995; 6E3-A-76 6E3-A-85							
1996 Chevrolet Corsica/Beretta Service Manual; GMP/96-L-2; Book 2; L Platform; 2/1996; 6E-432-4				; 6E-432-433	33			
			ort, Oldsmobile Silhouette					
	(Preliminary); U-Van Pl							
	1996 Chevrolet Lumina	Pontiac Trans Spo	ort, Oldsmobile Silhouette	Service Ma	nual; GMF	7/96-U-2; Bo	ok 2; U-V	Van
	Platform; 3/1996; 6E-96		1011 11 011		3.6 1.6	3) (D/07, H 0	D 1 0	
	1997 Chevrolet Venture Platform; 10/1996; 6E-9		ort, and Oldsmobile Silhou	iette Service	e Manual; (	JMP/9/-U-2	; Book 2	; U-
			ort and Oldsmobile Silbou	ette Service	Manual: C	MP/98-11-3-	Volume	3.11-
	1998 Chevrolet Venture, Pontiac Trans Sport and Oldsmobile Silhouette Service Manual; GMP/98-U-3; Volume 3; U-Platform; 6/1997; 6-456-457							
			eva and Buick Skylark Se	rvice Manua	1: GMP/97	'-N-2: Book :	2: N-Plat	form:
	05/1996; 6E-93-94; 6E-		iova ana Baion on jiain oo	vico iviana	,	1, 2, 2001.	_,	,
			vice Manual; GMP/98-N-3	3; Volume 3	; N Platfor	m; 05/1997;	<del>6-565-5€</del>	66; 6-9
	1996 Park Avenue, LeS	abre, Ninety-Eight	, Eighty-Eight and Bonney	ille Service	Manual; C	MP/96-CH-	2P; Book	ς 2
	(Preliminary); C/H Platf	form; 06/1995; 6E3	3-A-112-113					
	1996 Park Avenue, LeS	abre, Ninety-Eight	, Eighty-Eight and Bonney	ille Service	Manual; C	MP/96-CH-	2; Book ?	2; C/H
	Platform; 03/1996; 6E-1		le Service Manual; GMP/9	7-H-2: Boo	k 2: H Plat	form: 5/1996	6E-118	3-119
	1777 Debuote, Digitty-D		To be vice Manual, Olvin /	, 11 2, 1500	2, III iat		, 02 110	
Examiner			Date Consid	dered				
			2 200 001181					

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.

## INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Atty. Docket No.	Serial No.	
2018-852	10/790,779	
Applicant		
WAKAHARA et al		
Filing Date	TC/A.U.	
March 3, 2004	2855	

 1998 LeSabre, Eighty-Eight and Bonneville Service Manual; GMP/98-H-3; Volume 3; H Platform; 5/1997; 6-409-410
 1996 Chevrolet Cavalier and Pontiac Sunfire Service Manual; GMP/96-J-2P; Book 2 (Preliminary); J Platform; 5/1995; 6E3-A-78-79; 6E3-A-85-87
1996 Chevrolet Cavalier and Pontiac Sunfire Service Manual; GMP/96-J-2; Book 2; J Platform; 2/1996; 6E-92-93; 6E-476-477
 1997 Chevrolet Cavalier and Pontiac Sunfire Service Manual; GMP/97-J-2; Book 2; J Platform; 5/1996; 6E-95-96; 6E-502-503
1995 Chevrolet Camaro and Pontiac Firebird Service Manual Supplement; GMP/95-F-UPD; F Platform; 12/1994; 6E3-A-97; 6E3-A-100
 1996 Chevrolet Camaro and Pontiac Firebird Service Manual; GMP/96-F-2P; Book 2 (Preliminary); F Platform; 6/1995-6E3-A-96-97; 6E3-A-90-91
1996 Chevrolet Camaro and Pontiac Firebird Service Manual; GMP/96-F-2; Book 2; F Platform; 3/1996; 6E-103; 6E-547-548
1997 Chevrolet Camaro and Pontiac Firebird Service Manual; GMP/97-F-2; Book 2; F Platform; 5/1996; 6E-102-103; 6E-566-567
1998 Chevrolet Camaro and Pontiac Firebird Service Manual; GMP/98-F-3; Volume 3; F Platform; 6/1997; 6-706-707; 6-1280-1281
 1996 Chevrolet Corvette Service Manual; Book 2; Y Platform; 1/1996; 6-366-367
1997 Corvette Service Manual; GMP/97-Y-3; Book 3; Y Platform; 3/1997; 6-483-484
 1998 Corvette Preliminary Service Manual; Volume 3; Y Platform; 4/1997; 6-480-481
 2000 Service Manual – Pontiac; GMP/00-HP-1; H Platform; Volume 1; 6-418; 6-213
 2000 Service Manual – Buick Le Sabre; 6-357; 6-174
 2000 Service Manual - Chevrolet Cavalier and Pontiac Sunfire; GMP/00-J-1; J-Platform; Volume 1; 6-571; 6-379-380
2000 Service Manual – Pontiac Grand Am and Oldsmobile Alero; M-Platform; 6-594; 6-426-427
 2001 Service Manual - Chevrolet Cavalier and Pontiac Sunfire; GMP/01-J-1; J-Platform; Volume 1; 6-575; 6-415
2001 Service Manual – Chevrolet Venture, Pontiac Montana and Oldsmobile Silhouette; GMP/01-U-1; U-Platform; Volume 1; 6-420; 6-250
2001 Service Manual - Chevrolet Silverado, Suburban, Tahoe and GMC Sierra, Yukon, Yukon XL, Denali, Denali XL; CK8 Truck; GMP/01-CK8-2; Volume 2; 6-2863; 6-1437
 2001 Service Manual - Chevrolet Impala, Monte Carlo; GMP/01-WCI-2; W-Platform; Volume 2; 6-1127; 6-517
 2001 Service Manual - Chevrolet Malibu; L/N-Platform; 6-355; 6-219
2002 Service Manual - Buick Le Sabre; 6-429; 6-263
 2003 Service Manual - Cadillac CTS; GMP/03-D-1; Volume 1; 6-579; 6-336
2003 Service Manual - Cadillac Seville; GMP/03-K-1; 6-719; 6-508
 2003 Service Manual - Chevrolet Impala, Monte Carlo; GMP/03-WCI-2; Volume 2; 6-1113; 6-467
2003 Service Manual - Chevrolet Tahoe, Suburban, Avalanche, GMC Yukon/Yukon XL, Yukon Denali/Yukon XL Denali, Cadillac Escalade/Escalade ESV, Escalade EXT; GMT/03-CKUV-2; Volume 2; 6-1412; 6-619
 2004 Service Manual - Chevrolet Tahoe, Suburban, Avalanche, GMC Yukon/Yukon XL, Yukon Denali/Yukon XL Denali, Cadillac Escalade/Escalade ESV, Escalade EXT; CK8 Truck; 6-897; 6-1464; 6-621
 2004 Service Manual - Buick Rainier, Chevrolet TrailBlazer, GMC Envoy; GMT/04-STNS-2; ST Truck; Volume 2; 6-826; 6-1243; 6-622

-		
*Examiner	Date Considered	

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.